




service equipment

HUFFY


Swingspout



The Original Canspout®

For all type cans. Efficient, indestructible, modestly priced. Cuts holes and drains cans without mess or bother. Saves time! Improves profits!

Model No.	Capacity	Unit Qty.	Pack Wt. Lbs.
1004	1 & 5 qt. cans	10	3
1005	1 & 5 qt. cans	10	6½
1006	1 & 5 qt. cans	10	5
1007	20" spout—all sizes	1	2
1008	#1007—bagged	1	2
1010	1 qt. & smaller	10	1¼
1011	#1010—bagged	10	1¼



Openers and Dispensers

Fulvue® funnel dispensers 1022 and 1074 have hardened ground blades. The 1568 and 1569 automatic transmission opener and dispenser units have hardened ground cutter blades and screen strainers.

Model No.	Capacity	Unit Qty.	Pack Wt. Lbs.
1022	1 & 5 qt. cans	3	4½
1074	All sizes	3	6½
1462	5¼" dia.	12	11
1568	1 qt.	1	3¼
1569	5 qt.	1	6



Huffy® Measures

Superior quality with automatic valve closer, thumb control, spill proof top and adjustable bronze bearing to assure free-swinging leak-proof spout action. Underside of spout is corrugated for convenient suspension of measure while pouring oil. A size and style for every need. Hammered enamel finish.

Model No.	Capacity	Unit Qty.	Pack Wt. Lbs.
1201	1 qt.	1	2
1202	2 qt.	1	2¼
1204	4 qt.	1	3
1205	5 qt.	1	4¼
1206	6 qt.	1	4½
1208	8 qt.	1	5
1241	1 qt.	1	2½
1242	2 qt.	1	3
1244	4 qt.	1	3½
1245	5 qt.	1	4
1246	6 qt.	1	6
1248	8 qt.	1	6
1351	1 qt.	1	2½
1355	5 qt.	1	6

Swingspout® Measures

Copper-plated or painted, Swingspout measures have finest construction and features. One-hand operation is designed into the thumb latch—press to open valve, press again to close. Leaves other hand free to handle cloth or oil filler cap.

Model No.	Description	Unit Qty.	Pack Wt. Lbs.
1301	1 qt.—copper	1	2
1302	2 qt.—copper	1	2¼
1304	4 qt.—copper	1	3
1305	5 qt.—copper	1	3¾
1306	6 qt.—copper	1	4
1308	8 qt.—copper	1	4½
1311	1 qt.—painted	1	2
1312	2 qt.—painted	1	2¼
1314	4 qt.—painted	1	3
1315	5 qt.—painted	1	3¾
1316	6 qt.—painted	1	4
1318	8 qt.—painted	1	4½
1321	1 qt.—copper	1	2
1322	2 qt.—copper	1	2¼
1324	4 qt.—copper	1	3
1325	5 qt.—copper	1	3¾
1326	6 qt.—copper	1	4¼
1328	8 qt.—copper	1	4½
1331	1 qt.—painted	1	2
1332	2 qt.—painted	1	2¼
1334	4 qt.—painted	1	3
1335	5 qt.—painted	1	3¾
1336	6 qt.—painted	1	4¼
1338	8 qt.—painted	1	4½



Galvanized Measures and Radiator Filler

Funnel and lip measures in all popular sizes, heavily galvanized for long service. Radiator filler has bail handle with wooden grip, and is heavily galvanized.

Model No.	Capacity	Unit Qty.	Pack Wt. Lbs.
3102	3 gal.	6	25
3210	1 pt.	6	3½
3211	1 qt.	6	6
3212	2 qt.	6	8
3214	4 qt.	6	12
3221	1 qt.	6	6
3222	2 qt.	6	9
3224	4 qt.	6	13
3251	1 qt.	12	9
3252	2 qt.	12	12
3254	4 qt.	12	21



Hufflex® Tough Plastic Utensils

Modern styling complements any service facility. Rugged modern HUFFLEX material will not scratch or mar auto surfaces—will not dent or leak when dropped. Impervious to most chemicals and to normal temperature extremes. Engineered for balanced, convenient pouring. 2108 spout fits old and new batteries.

Model No.	Description	Unit Qty.	Pack Wt. Lbs.
2104	3 gal.	4	9
2108	2 qt.	1	2
4636	2½ gal.—reversible plastic spout	6	11





Vented and Safety Gas Cans

Quality construction of heavy steel with flexible rustproof pouring spouts, convenient handles. All popular sizes. Hand-some, rugged and modern design. Vented can has neoprene spout with dust cap, wooden grip on bail handle. Safety can is all steel throughout, except gasket.

Model No.	Description	Spout	Unit Qty.	Pack Wt. Lbs.
2638	2½ gal.	2707	4	14
2639	2½ gal.	2711	4	23
2654	5 gal.	2707	4	22
2657	5 gal.	2711	4	31
2707	Spout only	—	10	1¼
2711	Spout only	—	1	¾



Flamboyant Styled Gas Cans

Flamboyant red, yellow and chrome styling helps service centers look modern, progressive. Four popular sizes. Round cans are lightweight steel. Rectangular cans are tinplated and economical. All have reversible flexible spouts. All except 4651-6 have filter screens.

Model No.	Description	Spout	Unit Qty.	Pack Wt. Lbs.
**2708	Oil measure	—	1	
4613	1 gal.	4705	24	28
4624	2 gal.	4705	12	20
4631-6	2½ gal.	4705	6	19
4651-6	5 gal.	4705	6	25

**Not Illustrated



Heavy Duty Gas Cans

Five-gallon cans with heavy duty construction features. Corrugated can is galvanized. Both have storage clips for flexible spouts, bail handles and wooden grips. The rustproof flexible spouts have dust caps.

Model No.	Description	Spout	Unit Qty.	Pack Wt. Lbs.
2655	5 gal.	2709	4	29
2656	5 gal.	2710	4	22
2709	Spout only	—	10	5
2710	Spout only	—	10	2½

Pump and Hand Oilers

Quality pistol and thumb lever pump oilers, some nickel plated, some painted; for every popular use. Small pump oilers have removable base flange—mechanic can carry oiler in his pocket. Flex spouts and rigid spouts, with nozzle tips. Hand oilers all have painted finish.

Model No.	Description	Unit Qty.	Pack Wt. Lbs.
2811	1/3 pt.—3" spout	12	3
2812	1/3 pt.—5" spout	12	3
2813	1/3 pt.—7" flexspout	12	3
2827	7/8 pt.—plated	6	5
2828	1 pt.—plated	6	8
2829	6 oz.—plated	6	3
2830	6 oz.—painted	6	4
2832	6 oz.—painted	6	5
2835	1 pt.—plated	6	5
2837	1 qt.—plated	6	7
2838	1 pt.—plated	6	7
2839	1 qt.—plated	6	9




Grease Guns and Pump

All steel construction with zinc plated finish. Model 2543 is for one-hand use. Special spring-primed gun is model 2540 and 2541 is a cartridge load gun. The 2542 is a suction gun with clear vinyl hose.

Model No.	Description	Capacity	Unit Qty.	Pack Wt. Lbs.
2540	Spring primed	20 oz.	1	4
2541	Cartridge load	20 oz.	1	4
2542	Suction gun	17 oz.	1	2
*2543	Pistol grip	20 oz.	1	4

*Available April, 1967



Alcohol Pumps and Air/Spray Guns

Two types of alcohol dispensers, both sturdily constructed. Blow gun and spray cleaner fit standard air hose.

Model No.	Description	Unit Qty.	Pack Wt. Lbs.
1558	Barrel pump	6	18
2570	10" spout	1	1
2571	1 pt.	1	2
**2545	Barrel pump	1	7

**Not Illustrated—available April, 1967






Galvanized and Tinplate Funnels

A wide assortment of popular funnels in all sizes and styles.

Model No.	Description	Unit Qty.	Pack Wt. Lbs.
1450	1 pt. tin—5¼" dia.	12	3
1451	1 qt. tin—6¾" dia.	12	4
1452	2 qt. tin—8¾" dia.	12	6
1454	4 qt. tin—9¾" dia.	12	9
2421	1 qt. galv.—4¼" dia.	12	4
2423	8 qt. util.—9¼" dia.	3	6
2426	6 qt. galv.—10¼" dia.	3	6
2428	8 qt. galv.—12" dia.	3	7
2429	10 qt. tractor—10¼" dia.	6	13
2436	6 qt. sidetube—10" dia.	3	5
2438	8 qt. sidetube—12" dia.	3	9
2439	½ pt. tin—3" dia.	36	3
2440	1 pt. tin—4¼" dia.	36	5
2441	1 qt. tin—5½" dia.	36	7
2442	2 qt. tin—6¼" dia.	36	8
**3400	Screen (for 3400 series)	1	—
3401	1 qt. flexspout—6¾" dia.	6	5
3410	1 pt. galv.—5¼" dia.	12	4
3411	1 qt. galv.—6¾" dia.	12	6
3412	2 qt. galv.—8¾" dia.	12	9
3414	4 qt. galv.—9¾" dia.	12	12


**Not illustrated



Oil Bottles, Spouts, Sets

Bottles available singly or in sets of eight with heavy wire basket. Poursput-dustcap-gasket set available as a complete assembly.

Model No.	Description	Unit Qty.	Pack Wt. Lbs.
2527	Poursput, dust cap and gasket	12	1
2530	Complete set	1	17
2531	1 qt. bottle only	12	19
2538	Basket only	1	3
2539	Bottle & spout ass'y.	12	20



Wooden Creepers

Three popular creepers. Replacement casters available for each. Creepers have hardwood side rails, beds and frame-work. Padded headrests are covered with vinyl upholstery material. Dipped varnish grease-resistant finish.

Model No.	Description	Unit Qty.	Pack Wt. Lbs.
2522	42" x 15¼"	2	35½
2524	36" x 15¼"	2	21
2525	36" x 15¼"	2	28
2528	Caster for 2524	4	3
2529	Caster for 2525, 2522	4	4

Drains

Lift drain has screen and is adjustable to raise up under auto. Drain pans are galvanized. Oil can drain holds four cans simultaneously.

Model No.	Description	Unit Qty.	Pack Wt. Lbs.
1579	5 gal. red	1	14
1580	5 gal. white	1	14
1582	4 cans (1 & 5 qt.)	1	2
2172	3¼" gal.	6	15
3174	7 gal.	2	12



Tube Test Tank and Pail

These heavily galvanized items are sturdily constructed for long service. Pail handle is full-swing bail.

Model No.	Description	Unit Qty.	Pack Wt. Lbs.
2162	3 gal.	12	24
3109	31" x 12" x 12"	3	31



Test Measure and Oily Waste Can

Extra heavy construction is a special feature of this indispensable service equipment. Test measure has easy-sight gauge. Oily waste can operates easily with big foot lever.

Model No.	Capacity	Unit Qty.	Pack Wt. Lbs.
2190	10 gal.	1	19
2196	6 gal.	1	15
2555	5 gal.	1	12



Add Extra Profits...

With This **HUFFY** Point of Purchase Display

Quality products, properly displayed, is the surest way to increase profits! This unique sales aid uses only 30" x 24" of floor space and features measures, gas cans, canspouts, funnels, dispensers, oilers, radiator fillers and battery fillers. Shipped K.D. Quick and easy to assemble with easy instructions included. Makes a bright reminder of items sometimes needed but overlooked by busy service operators. Decorated in blue, red, white and black. Shipping wt. 60 lbs., packed one per carton. 4½" x 26" x 55½".




D-1 BACK VIEW



D-1 FRONT VIEW

Blitz Can Spouts



Model No.	Description	Unit Qty.	Pack Wt. Lbs.
4716	1¼" dia. non-reversible	10	7
4717	¼" dia. reversible	10	10



THE HUFFMAN MANUFACTURING COMPANY

SERVICE EQUIPMENT DIVISION • Delphos, Ohio

Order Department: Box 310, Delphos, Ohio 45833 • Telephone AC 419/695-1015

"Huffy," "Swingspout," "Hufflex," "Canspout," and "Fulvue" are registered trademarks of The Huffman Manufacturing Company.